ASSEMBLY INSTRUCTIONS

EEI-6352

V1.02.02.23



609.256.9000 · cs@modway.com www.modway.com



Let's get started!





Read through all of the instructions befor starting



Approx. 60 minutes assembly time



2 people recommended for assembly



Care instructions are listed in the last step of this manual



Make sure you have all parts and components before discarding any packing materials Only use hand tools to assemble this item. Do not use power tools. Do not tighten bolts or screw completely until all hardware is lined up and inserted into the holes.

Do not over-tighten screw and bolts to avoid stripping the hardware or cracking the item.

For vanity and plumbing installation, we suggest hiring a professional contractor and plumber.

Assemble your item on a flat carpeted area, with plenty of space to work, this will prevent damage and scratches to your floors or the item while you're assembling the product.

Keep all components and packaging out of reach of children or animals to avoid risk of choking or suffocation.

Furniture components:


1	Leg front	x2
2	Leg back	x2
3	Side panel left	x1
4	Side panel right	x1
5	Back panel	x1
6	Front panel	x1
7	Bottom panel	x1

Provided hardware:

Α		Wood dowel Ø8 x 40mm	x20
В		Cam lock Ø15mm	x18
С		Cam bolt M6 x 40mm	x18
D		Handle	х1
E		Screw M4 x 20mm	x2
F		Screw M4 x 16mm	x16
G	0 00	Metal bracket	x4
Н		Leveler (pre assembled)	x4
ı		Felt (pre assembled)	x4

What you need:





You may also need:

- + Power Drill
- + Level
- + Silicone Adhesive or caulk


Missing parts or hardware? Need assistance? Contact us before returning your items. We're here to help! 609.256.9000 . cs@modway.com

Orel	<i>J</i> 1					
HARDY	WARE					
A	Wood dowel Ø8 x 40mm	x20	1			
0	Cam bolt M6 x 40mm	x18			330	
СОМР	PONENTS		300	0	5 6	7
1	Leg front	x2	3	4	5 6	
2	Leg back	x2				
3	Side panel left	x1				
4	Side panel right	x1		Ī		
5	Back panel	x1	ı			
6	Front panel	x1			A	
0	Bottom panel	x1				
			2			


otop z			
HARDWARE			
B Cam lock	Ø15mm	x8	2
COMPONENTO			
COMPONENTS			
1 Leg front		x2	
2 Leg back		x2	3
3 Side pane		x1	
4 Side pane	el right	x1	
2	B		3
	4 B		


Step 3

HARDWARE			
B	Cam lock Ø15mm	х5	
СОМЕ	PONENTS		
1	Leg front	x1	
2	Leg back	x1	
3	Side panel left	x1	
6	Back panel	x1	
6	Front panel	x1	
•	Bottom panel	x1	



₿	Cam lock Ø15mm	x5
ОМР	PONENTS	
0	Leg front	x2
2	Leg back	x2
3	Side panel left	x1
4	Side panel right	x1
5	Back panel	x1
6	Front panel	x1
0	Bottom panel	x1








Note:- Full tighten all cam lock and screw here.

Step 6




Step 7

Apply a thin bead of silicone compound around the vanity base and set the vanity top carefully in place. Remove any excess silicone compound with a wet rag



A quick note...

Your sink basin comes complete with a silver overflow ring. If you'd like to remove this overflow ring, you can do so by hand.



Great job!

Vanity assembly is complete.



CARING FOR YOUR ITEM

Indoor use only.

Not contract grade.

Clean using a non-abrasive cloth and a mild cleaner.

Never use harsh chemicals, as they could damage the finish or integrity of the item.







Tag us @modway_furniture and #modway for a chance to be featured.

